HawkEye Elite® Alignment Systems

Greater profit and productivity through innovation



Hunter's latest productivity features!



PATENTED

Revolutionary adaptor design!

- ✓ Faster setups!
- ✓ No metal-to-metal contact!
- ✓ No knob twisting!



PATENTED

Superior target design!

- ✓ Lighter design!
- ✓ Narrower profile!
- ✓ Faster readings!







EXCLUSIVE

QuickComp[™]!

Compensate all wheels and capture initial measurements in one motion.



EXCLUSIVE

New console design!

Integrated storage and charging for popular accessories.*†



PATENTED

High-resolution cameras!

Four high-resolution cameras provide alignment measurements with pinpoint accuracy.



STANDARD

Recall specs in a snap!

Recall OE specs and vehicle-specific alignment procedures instantly.**



PATENTED

Patented steering system reset integration!

Reset computerized steering systems on a wide variety of vehicles with one simple tool.

^{*} Available only on mobile WA600 consoles.

^{**} Standard with WA600 consoles, optional with WA500 consoles.

QuickGrip® wheel adaptors & three-dimensional tar

Hunter's patented QuickGrip® adaptors and threedimensional targets accelerate service with set-up times in seconds instead of minutes...



PATENTED

Extremely Fast Installation

- Spring-loaded arms grip the tire
- Thumb switch secures the clamp
- Off-center clamping has no effect on accuracy



PATENTED

Avoid Damage to Expensive Rims

- Grips tire, not rim
- ✓ No metal-to-metal contact
- Only protective ring contacts rim





PATENTED

Less Weight

- ✓ Weighs only 6 lbs.
- Nearly 50% lighter than previous designs



PATENTED

Space-Efficient Profile

- ✓ Approx. 9" profile
- Easy to work around
- Great for narrow bays

gets





Low Maintenance

- Shop-tough polymer structure withstands drops
- No electronics, cables or calibration
- Only occasional cleaning required







PATENTED

Quick-Change Arms



One arm fits approximately 90% of applications

PATENTED

Deep-Wheel Extension



- ✓ Deep rims or protruding hubs, no problem
- Standard accessory

PATENTED

Wide-Angle Targets




✓ Perform max steer procedure, as needed



Previous setups used valuable shop time...

Conventional electronic-sensor system – 10-minute-plus procedure



Camera-sensor systems speed up the process



Early camera technology improved efficiency...

...Today, present your results in just 70 seconds!




Hunter's HawkEye Elite® and Premium RX Lift capture all readings and produce measurements in 70 seconds!

Hunter's 70-second procedure

- Chock wheels and raise lift to work height
- Mount targets and set air pressure
- ✓ Roll forward to compensate sensors
- Scan VIN to recall specs and perform faster caster steer
- ✓ Vehicle results print automatically

1:10 Total



trip around the vehicle trips to the console total walking steps




Fast printouts in 70 seconds!

Use detailed printouts featuring your company's logo to sell more work.









PATENTED

RX Scissor Lift console

- Raising the vehicle triggers the sensors to look for wheel targets
- Control PowerSlide® and Inflation Station settings on the lift console
- Store bar-code scanner and CodeLink tool near the vehicle to save steps



AlignLights turn on automatically at alignment height



PATENTED

WinAlign® console

- Centralized control of entire system
- Communicate directly with lift to set tire pressure and automatically operate turnplates and slipplates
- Guide the technician through the alignment process



Measurements are taken automatically once the fourth target is installed




PATENTED

PowerSlide® system

- Slipplates and turnplates automatically lock and unlock at appropriate times
- ✓ No more struggles with lock pins



Auto-locking turnplates and slipplates save trips around the vehicle



PATENTED

Inflation Station

- Automatically inflate all four tires simultaneously
- Record starting and final pressure
- ✓ Hose recoils to keep work area clear




Software tracks before and after tire pressures for the customer's printout

Hunter's Safety System Alignment: Over 50 million vehicles require Safety System Alignment... and growing!





- Since 2009, Hunter has supported electronic steering system resets as required by the OEM
- Several systems use electronic steering system output to determine the vehicle's travel direction




A growing number of vehicles also require additional resets



Advanced Driver Assistance Systems

- Many vehicles are now equipped with ADAS
- Many systems require a calibration after wheel alignment
- Often require a short drive be completed as part of the calibration



Hunter's Safety System Alignment: The last step in alignment service



An increasing number of vehicles include advanced driver assistance systems (ADAS). In addition to a mechanical alignment, manufacturer's specifications often require a Safety System Alignment® on many vehicles equipped with ADAS Systems.

ADAS systems most likely to require reset

- ✓ Lane Departure Warning (LDW) Camera-based
- ✓ Forward Collision Warning (FCW) Radar-based
- ✓ Adaptive Cruise Control (ACC) Radar-based

The only integrated, complete alignment procedure






CodeLink's patented integration "links" the vehicle OBD-II system to the aligner


to align safety system related sensors to the vehicle's alignment geometry.

CodeLink® advantages:

- Integrated with Hunter WinAlign® systems
- Simple instructions shown on aligner screen
- Only one tool required
- Wireless communication with aligner
- Resets ADAS systems and other related sensors
- ✓ Alignment printouts document reset



When it comes to award-winning software, WinAlign® is unmatched!



New Faster Caster procedure!

simply present

alianment readinas

systems simply speed

up these readings

- Eliminates wait times during caster steer
- Saves time and increases speed
- Reduces brake pedal depressor installation by 86%
- Reduces battery drain from brake light draw



profit and productivity


in vour alignment bay

No more waiting for left, right, and center readings during caster steer

NEW



Steer left, right and back center



ExpressAlign®

Perform every alignment with a streamlined procedure. ExpressAlign analyzes each job and presents the optimal action sequence with the minimum steps required.



Tools and Kits Database

Save trips back and forth to the tool box. Hunter presents all of the tools and aftermarket correction kits needed for each alignment.

Online ordering supported



Control Arm Movement Monitor®

Cut adjustment times in half for front-shim, dualcam or dual-slot vehicles. Step-by-step graphics let you get it right on the first try.

Over 60 million vehicles benefit



WinToe®

Ensure a straight steering wheel every time without repeated adjustments or using a steering wheel holder.

A timesaver on nearly every alignment



Virtual View®

See your alignment job in 3-D using real-time 3-D graphics. Used by experts and novices alike.

Every alignment can be shown in 3-D




Wheel-Off Adjustment

Speed the alignment process by making adjustments with the wheel removed.*

Available when you need it


Take your alignment business to the next level!

Perform body shop and specialty alignments...



Suspension Body Dimension Audit

Quickly screen vehicles to determine alignability and collision repair needs.



Symmetry Angle Measurements

Instantly access symmetry angles and setback for your body shop customers.



Live Ride Height Adjustment

Measure and adjust ride height in real-time.


Over 20 million vehicles require ride height measurement to complete alignment service



Shim-Select[®] II

Eliminate confusing shim charts and tables. Shim Select II quickly calculates and displays the template you need for proper shim installation.

Over 30 million vehicles benefit



Automatic Bushing Calculator®

Calculate the proper bushing size and position adjustment without wasting time with a zero bushing.

Over 10 million light trucks and vans benefit



Point & Click Inspection Photos

5,000+ vehicle-specific photos and illustrations to assist your shop

Help your customers make informed decisions!



HUNTER SANAGE WASHINGTON AND STATE OF THE SANAGE WA

WinAlign® Video Library

400+ videos and animations cover all aspects of wheel alignment today.



The latest specs available online

Download, access and communicate alignment service information through the Internet.

WinAlign® printouts help sell work

Explain needed parts and repairs and show completed work to customers using detailed, color-coded printouts.

Clear and detailed printouts help you communicate and build rapport with your customers and sell more alignments



TPMSpecs®

TPMSpecs pulls together **over 100** TPMS procedures into a simple, yet comprehensive, user-friendly format for the technician.



Enhance your point-of-sale performance

Provide front-shop personnel with quick, convenient access to vehicle-specific undercar information to explain and sell service.

Use your aligner to perform Quick Checks!





- ✓ Total toe front and rear
- Camber on all wheels
- ✓ Tire wear indication
- Identifies vehicles that require Safety System Alignment



20-2813-1 CodeLink*

Retrieves emission codes. Wirelessly transfers important vehicle information to console.



20-2782-1 Tire Tread Depth*

Quick and easy tire wear check. Conditions transmitted to console automatically.



20-2781-3 Battery Health*

Tests battery to OEM specs. Sends results to console wirelessly in 10 seconds.



Quick Tread®

Creates a 3D model of the tire and can be easily added to existing Quick Check® inspection systems.

Choose the right alignment console for your shop!

WinAlign WA600 Premium consoles

	Processor	
	Memory	
	Hard drive	
	DVD-RW/CD-RW combo drive	are
	Monitor class	Industry-leading hardware
	Wired & wireless network module	ding
	Operating system	/-lea
	Three-dimensional target (TD Target") support	ustry
	Large console with drawers	直
	Compact console with printer drawer	
S	Console-top storage and charging station	
	Bar Code Reader	

3.70 GHz Intel® Core® i3 (or greater)

4 GB of DDR4 RAM

240 GB Solid State Drive (or greater)

Standard

24" or 27" widescreen LCD
(32" available on large console)

Standard

Windows 10 IoT Enterprise

Standard

Standard (with WA68X consoles)

Standard (with WA67X consoles)

Standard (with mobile WA600 consoles)

Standard



Large console

Award-winning WinAlign° software	PATENTED	
Vehicle Info Database (30+ yrs)	PATENTED	
Real-time specs delivered by web	PATENTED	
Steering system reset (integrated)	PATENTED	iools
Quick Check		/ity 1
Live Ride Height adjustment	PATENTED	ucti
Fully Integrated Alignment	PATENTED	prod
Modified vehicle alignment	PATENTED	ning
Vehicle inspection with photos	PATENTED	Award-winning productivity tools
Tools & Kits	PATENTED	ard-
Equipment video help/assistance		Ą
ShopResults (via ShopResults.NET°)	PATENTED	
Training and productivity aids	PATENTED	

Standard
Standard (2 years free updates)
WebSpecs* (2 years standard)
Yes (with standard CodeLink°)
Standard
Standard
Yes (FIA-equipped lift required)
Yes (with standard WinAlign Tuner)
Standard
Videos and Photos
Standard
2 years standard
4,000+ photos, 1,600+ illustrations 400+ videos & animations



Compact console



Wall-mount console

Choose the right sensor package for your shop!



Fixed-column configurations fit most service bay applications.



Motorized and manual movable-camera configurations provide a full range of vertical travel for additional lift height.



Cabinet-mounted configuration is mobile to service multiple alignment bays and provides a full range of travel for additional lift height.



Wall- and ceiling-mount configurations are perfect when space is at a premium.



Floor-mounted overhead configurations are ideal for drive-through bays or to accommodate unique applications.



One set of adjustable clamp arms covers the same clamping range as standard multi-arm kit.

HawkEye Elite® alignment sensor and adaptor specifications

	PATENTED No metal-to-metal contact with whe	el Standard
	Weight of assemb	ly 6 lbs.
	Profile of assemb	ly 9 inches
	Installation time per who	el 5 seconds
ons	Rolling compensation sty	le Forward
Specifications	Camera resoluti	2,608 x 1,952 (pixels per camera) 20,000,000 (pixels total)
Spec	Track wid	th 80 inches
O,	Wheelba	se 210 inches
	Distance to wa	ll* 66 - 107 inches
	Suggested distance	e* 99 inches
	Short-bay distance (see site info)* 66 inches
	S.A.I. and included ang	le 🗸
S	Setba	
Secondary Measurements	Maximum steering angle	** To lock
rem	PATENTED Live ride height*	**
asn	Wheelbase differen	ce 🗸
/ Me	Track width differen	ce 🗸
dary	Tread width differen	ce 🗸
con	Lateral offs	et 🗸
Se	Rear setba	ck 🗸
	Axle offs	et 🗸
40	PATENTED SBI	DA 🗸
/ nents	PATENTED Body and	· ·
Body Measurements	PATENTED Body wheel offset & setba	
Mea	PATENTED Body Wilcol Offset & Setuti	
	Dody ton	
Adjustments	PATENTED Way Up Way Out WinToe	**
Adjust	PATENTED Wheel-Off Adjustme	nt Optional


^{*} Refer to site requirements for exact bay specifications.

Increase revenue with Hunter merchandising!

Introduce your wheel alignment capabilities and educate your customers with great Point-of-Sale options from Hunter.









STANDARD

Customized column cap

Make your alignment bay stand out. Hunter's lighted sensor column cap can be customized with your logo or shop name. (available for most sensor configurations)





Be sure to check out other Hunter literature for more quality products from Hunter Engineering.

