

RELIABLE. CLEAN. EFFICIENT.



FLUIDALL, LLC is an industry leader providing liquid storage and handling solutions for any application that requires reliable, clean, safe and efficient fluid control. Our Tote-A-Lube and Wall-Stacker series of tanks have been placed more than 75,000 times across the world.



WALL-STACKERS



WORLD CLASS LUBE ROOM

TOTE-A-LUBE SERIES TANKS



T35, T70, T120

T120 & T180

T180 & T240

WALL-STACKER SERIES TANKS

Tank Model	Part #	Gallon Capacity	Footprint	Tank Height
Tote-A-Lube Series	T35	35	32" W x 32" D	10"
	T70	70	32" W x 32" D	20"
	T120	120	32" W x 32" D	32"
	T180	180	42" W x 42" D	32"
	T240	240	42" W x 42" D	42"
Wall-Stacker Series	W\$32	32	38" W x 19" D	15"
	WS71	71	38" W x 19" D	30"
	WS115	115	38" W x 19" D	45"
Portable	TP60	60	32" W x 32" D	20"
	TP120	120	35" W x 35" D	35"
Cylindrical	TC205	205	32" Diameter	63"
	TC300	300	36" Diameter	79"
	TC500	500	48" Diameter	73"

Cylindrical tanks available up to 15,000 gallons.



FOR FLUIDALL'S COMPLETE PRODUCT OFFERING PLEASE VISI

CYLINDRICAL/PORTABLE TANKS



CYLINDRICAL TANKS AVAILABLE UP TO 15,000 GALLONS



TP120



CASTERED STANDS

FLUID HANDLING SOLUTIONS



TC205

DEF/SCR SYSTEMS

ACCESSORIES



PORTABLE FILTER CARTS

TANK MOUNTED PUMP SYSTEMS



SPILL/SECONDARY CONTAINMENT



PUMPS



HOSE/REELS



DISPENSING GUNS





DESICCANT BREATHERS



STORAGE JUGS





VALVES/FITTINGS



LEG SUPPORTS



T US AT WWW.FLUIDALL.COM OR CALL US AT 1-800-849-0591

FLUIDALL, LLC is committed to continue to provide the unique fluid handling and storage solutions our customers around the world have received for over 10 years. Formerly d.b.a. Tote-A-Lube, LLC. FLUIDALL, LLC continues to market and manufacture our Tote-A-Lube Series and Wall-Stacker Series of tanks. Please visit www.FLUIDALL.com or contact us or one of our Distributors & Dealers for information on our complete line of liquid solutions.

PRODUCT SPECIFICATIONS:

Tote-A-Lube and Wall-Stacker Series tanks are constructed from virgin polyethylene UL rated food grade resins and are designed for use with polyethylene tolerant fluids. Valves, fittings, hose and sealers also must be compatible with the fluids stored in the vessel. Use of the tank with incompatible fluids may cause tank failure and void the manufacturer warranty. Primary uses for Tote-A-Lube and Wall-Stacker tanks include all polyethylene tolerant fluids with flash points over 200° F.

LOCAL DEALER INFORMATION:

800.849.0591 www.fluidall.com



INDUSTRY LEADER IN LIQUID SOLUTIONS